Customer No.: 31561 Application No.: 10/063,910 Docket No.: 7794-US-PA

## In The Claims:

Claim 1. (currently amended) A method of integrally forming an integrated structure of a light-guide board and an optical thin film, comprising:

providing a mold and the optical thin film comprising at least and a mold, and a polarizer, wherein the mold has a first space and a second space, and the first space has a surface on which no pattern is formed;

disposing the optical thin film in the first space of the mold; and injecting a light-guide material into the second space of the mold.

Claim 2. (currently amended) The method according to claim 1, wherein the step of providing the optical thin film includes a step of providing a multi-layer thin film.

Claim 3. (currently amended) The method according to claim 1, wherein the step of providing the optical thin film includes a step of providing a single-layer thin film.

Claim 4. (currently amended) The method according to claim 1, wherein the step of injecting the light-guide material mold includes an injection mold molding, a compression mold molding and an injection compression mold molding.

Claim 5. (currently amended) The method according to claim 4, wherein the injection molding step uses a lying type injection machine.

Claim 6. (currently amended) The method according to claim 4, wherein the injection molding step uses a standing type injection machine.

Page 2 of 10

Customer No.: 31561 Application No.: 10/063,910 Docket No.: 7794-US-PA

Claim 7. (currently amended) The method according to claim 1 4, wherein the step of injecting the light-guide material includes injecting a polymer.

Claim 8. (currently amended) A method of integrally forming a structure of a light-guide board and an optical thin film, comprising:

providing a mold and the optical thin film comprising at least a polarizer, and a mold, wherein the mold has a first space and a second space;

disposing the optical thin film on one surface of the mold, wherein the surface has no pattern thereon; and

injecting a light-guide material in the mold to fill another space without the optical thin film, and curing the light-guide material to form a light-guide board adhered to the optical thin film.

Claim 9. (currently amended) The method according to claim 8, wherein the step of providing the optical thin film includes a step of providing a multi-layer thin film.

Claim 10. (currently amended) The method according to claim 8, wherein the step of providing the optical thin film includes a step of providing a single-layer thin film.

Claim 11. (currently amended) The method according to claim 8, wherein the step of injecting the light guide material mold includes an injection mold molding, a compression mold molding and an injection compression mold molding.

Claim 12. (currently amended) The method according to claim 11, wherein the injection molding step uses a lying type injection machine.

Page 3 of 10

Customer No.: 31561 Application No.: 10/063,910 Docket No.: 7794-US-PA

Claim 13. (currently amended) The method according to claim 11, wherein the injection molding step uses a standing type injection machine.

Claim 14. (currently amended) The method according to claim 8, wherein the step of injecting the light-guide material includes injecting a polymer.

Claim 15. (currently amended) A method of integrally forming a structure with a light-guide board and an optical thin film, comprising:

providing a polarizer, disposing the optical thin film comprising at least a polarizer on a first one surface of the mold into a mold, wherein the first surface has no pattern thereon; and

forming the light-guide board on a second surface opposing to the optical thin film via an injection molding, a compression molding or an injection compression molding step, wherein the second surface has a pattern thereon.

Claim 16. (currently amended) The method according to claim 15, wherein the step of disposing the optical thin film includes a step of disposing a multi-layer thin film.

Claim 17. (currently amended) The method according to claim 15, wherein the step of disposing the optical thin film includes a step of disposing a single-layer thin film.

Claim 18. (currently amended) The method according to claim 15, further comprising using a lying type injection machine for forming the light-guide board.

Claim 19. (currently amended) The method according to claim 15, further comprising using a standing type injection machine for forming the light-guide board.

Page 4 of 10

## This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT OR DRAWING

BLURRED OR ILLEGIBLE TEXT OR DRAWING

SKEWED/SLANTED IMAGES

COLOR OR BLACK AND WHITE PHOTOGRAPHS

GRAY SCALE DOCUMENTS

LINES OR MARKS ON ORIGINAL DOCUMENT

REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

## IMAGES ARE BEST AVAILABLE COPY.

 ☐ OTHER: \_\_\_\_\_

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.